The Bryologist 102(4), pp. 783–792
Copyright © 1999 by the American Bryological and Lichenological Society, Inc.

Index to Volume 102 of The Bryologist

EMILY L. POWOROZNEK
Engineering, Mathematics, and Computer Science Library, Kingsbury Hall, University of New Hampshire, 33 College Rd., Durham, NH 03824-3591

DAVID M. LANE
Biological Sciences Library, Kendall Hall, University of New Hampshire, 129 Main St., Durham, NH 03824-3590

This index includes all authors and all scientific names of plants under study. Taxa listed in checklists are not included to avoid complete duplication of the checklists in the index. The format of previous indexes is retained for continuity: new scientific names and combinations are in boldface, page numbers of synonyms are in italics, taxa mentioned several times in an article are indicated by a plus sign (+) after the page number, and illustrations are indicated by an asterisk (*). In addition, maps are indicated by a small "m." Checklists and keys are grouped under the entries "Checklist" and "Key." Lichen substances and selected keywords in the titles and text of articles are also included.

There are several possibilities for enhancing future indexes. We're planning to provide online access to this annual index and the previous three years combined into one searchable and sortable database at: http://grinnell.unh.edu:591/. We welcome all comments and suggestions. Please send them to david.lane@unh.edu.

2′-*O*-Methylmicrophyllinic acid, 212, 216
2′-*O*-Methylperlatolic acid (Pertusaria), 210+, 216
2′-*O*-Methylsuperlatolic acid, 216
2-*O*-Methylconfluentic acid (Pertusaria), 216
2-*O*-Methylperlatolic acid (Pertusaria), 210+, 216
2,5-dichloro-3-*O*-methylnorlichexanthone (Buellia), 254
4-Chloro-6-*O*-methylnorlichexanthone (Pertusaria), 216
4,5-Dichlorolichexanthone (Pertusaria), 216
7-Chloronorlichexanthone (Buellia), 254
Acadian Forest Region (Calicioid fungi), 377+
Acidophilic toxitolerant moss, 273
ADLER, MÓNICA T. [Review of:] Marcelli, Marcelo P. and Mark R. D. Seaward. Lichenology in Latin America: History, Current Knowledge and Applications, 778+
ADLER, MÓNICA T. [Review of:] Marcelli, Marcelo P. and Teuvo Ahti. Recollecting Edvard August Vainio, 777+
Africa (Pseudocyphellaria), 128+
AHMADJIAN, VERNON [Review of:] Albertano, P., J. R. Gallon, M. Grilli Caiola and L. Hoffman. Cyanobacteria, 161+
AL-GIFRI, ABDUL NASSER. *See* SCHULTZ, MATTHIAS, 61+
Alabama (Epihyllous hepatics), 309+m
ALBERTANO, P., J. R. GALLON, M. GRILLI CAIOLA and L. HOFFMAN. Cyanobacteria [review], 161+
ALLEN, BRUCE and RONALD A. PURSELL. Recent Literature on Mosses—179, 149+
ALLEN, BRUCE and RONALD A. PURSELL. Recent Literature on Mosses—180, 339+
ALLEN, BRUCE and RONALD A. PURSELL. Recent Literature on Mosses—181, 545+
ALLEN, BRUCE. *See* THIERS, BARBARA M., 756+
ALLEN, NORIS SALAZAR. [Review of:] Uribe M., Jaimie and S. Rob Gradstein. Catalogue of the Hepaticae and Anthocerotae of Colombia, 774+
Allo-pertusaric acid (Pertusaria), 216
Amblystegium fluviatile, 722+; riparium, 722+; tenax, 722+
Amino acids (Peltigerales), 196+*
Amphithecium, 581+
Anacamptodon splachnoides, 636+
Anaptychia, 1; appalachensis, *2*; ciliatomarginata, *3*; dendritica var. propagulifera, *5*; erinacea, *4*; granulifera, *5*; hypoleuca, 5; japonica, *6+m*; leucomela, *7*; obscurata, *9*; podocarpa, *9*; pseudospeciosa, *10*; speciosa, *12*; tropica, *12*
ANDERSON, LEWIS E., 348*
ANDERSON, LEWIS E. *See* GOFFINET, BERNARD, 581+
Anthraquinones (Caloplaca), 684
Antitrichia curtipendula, 625
ANTONOVICS, JANIS. *See* BUCK, WILLIAM R., 130+
APTROOT, ANDRÉ, PAUL DIEDERICH, EMMANUEL SÉRUSIAUX and HARRIE J. M. SIPMAN. Lichens and Lichenicolous Fungi from New Guinea [review], 345
Aquatic bryophytes, 720+
Arabinogalactan-proteins (Gymnocolea inflata), 304+
ARCHER, ALAN W. *See* MESSUTI, MARÍA INÉS, 208
ARCHER, ALAN W. The Lichen Genus Pertusaria in Australia [review], 574
Argentina, southwestern, 314
Argopsin (Biatora), 694
Arthonia carneorufa, *710*
Arthothelin (Buellia), 261+
Arthrorhapsis, 104+; alpina, 104+m; citrinella, 105+m; vacillans, 105+m
Ascospores, hyaline (Pertusaria), 215+*m
Asia (Plagiochila), 67+, 287+
Asia, East (Plagiochila), 294+
Asia, South (Plagiochila), 294+
Asterella californica, 174+; **grollei sp. nov.**, 169+*; muscicola, 174+; palmeri, 169+*; saccata, 174+*
Astomiopsis magilliana sp. nov., 119+*
Atranorin (Biatora), 694
Atranorin (Buellia), 252+
Atranorin (Heterodermia), 2+
Atranorin (Pertusaria), 212

Barbatic acid (Chaenotheca), 379
Bartramia halleriana, 636+, 681; stricta, 27+
BASILE, DOMINICK V., MARGARET R. BASILE, NAHED SALAMA, JAN PEART and KEITH ROBERTS. Monoclonal Antibodies to Arabinogalactan-Proteins (AGPs) Released by Gymnocolea inflata When Leaf and Branch Development is Desuppressed, 304+*
BASILE, MARGARET R. *See* BASILE, DOMINICK V., 304
BELLAND, RENÉ J. [Review of:] Dahl, Eilif. The Phytogeography of Northern Europe (British Isles, Fennoscandia and Adjacent Areas), 158
Belonia uncinata, 314+*
BERNECKER-LÜCKING, ANDREA, and MARIA ISABEL MORALES Z. Notes and Additions to Cololejeunea linopteroides with Special Reference to Cololejeunea sigmoidea (Hepaticae, Lejeuneaceae), 437+*
Bescherellia elegantissima, 636+
Beta-(1→6)linear glucan, 84+
Biatora, 692+; **alaskana sp. nov.**, 696+*m; betulicola, *711*; chrysantha, 696+*m; cuprea, 697+; efflorescens,

0007-2745/99/783–792$1.05/0

698+*m; fallax, 698+*m; flavopunctata, 699+m; helvola, 700+*m; **hypophaea sp. nov.**, 701+*m; **nobilis sp. nov.**, 702+*m; rufidula, 705+*m; rufidulae, *702*; sp. A, 710; subduplex, 706+*m; toensbergii, 707+*m; vacciniicola, 708+*m; vernalis, 709+*m
Bilimbia rufidula, *705*
Biogeography (Coscinodon), 265+*m
BISANG, IRENE. [Review of:] Hallingbäck, T. Rödlistade mossor i Sverige—Artfakta, 157+
BISCHLER, HÉLÈNE. Systematics and Evolution of the Genera of the Marchantiales [review], 774
Blindia acuta, 27+
BLOCKEEL, T. L. and D. G. LONG. A Checklist and Census Catalogue of British and Irish Bryophytes [review], 780
Blomquist Bryological Foray, 346
Borrera erinacea, *4*
BOSLEY, AUGUSTUS. *See* PETERSEN, RAYMOND L., 398
Brachymitrion cochabambae, 110; **immersum sp. nov.**, 108+*; jamesonii, 110; laciniatum, 110; moritzianum, 110
Brachysteleum deltorii, *404*; microblastum, *405*; plumosum, 681; rutabulum, 27+; salebrosum, 636+
BRAGGINS, JOHN E. *See* VON KONRAT, MATT, 240
Branch development biochemistry (Gymnocolea inflata), 304+
BRASSARD, GUY R. [Review of:] Nyholm, Elsa. Illustrated Flora of Nordic Mosses. Fasc. 4, 573
BRASSARD, GUY R. [Review of:] De Sloover, Jean Louis. Hépatiques, Mousses et Muscinées des Livres de Simples (1554–1644) de Rembert Dodoens [and] Les Muscinées du *Botanicon Parisiense* (1727) de Sébastien Vaillant, 161
Braunia secunda, 681
Brazil, southeastern (epiphytic bryophytes), 320+
Brialmontin 1 (Buellia), 252+
Brialmontin 2 (Buellia), 252+
British Lichen Society. Database for the Identification of Parmelia Ach. of Great Britain and Ireland [review], 160
BRUGUÉS, MONTSERRAT. *See* LARA, FRANCISCO, 619+
BRYAN, VIRGINIA S. Synonymy in Micromitrium, 409+
Brymela parkeriana, 681
Bryologist, The (3-year assessment), 578
Bryologist, The (pages published), 578
Bryophyte diversity (epiphytic), 320+
Bryoria fuscescens, 625
Bryum alpinum, 27+; billardieri, 636+, 681
BUCK, WILLIAM R. Pleurocarpous Mosses of the West Indies [review], 156+
BUCK, WILLIAM R. and BARBARA M. THIERS. Recent Literature on Hepatics and Anthocerotes—156, 327+
BUCK, WILLIAM R. [Review of:] Lücking, Robert. Additions and Corrections to the Knowledge of the Foliicolous Lichen Flora of Costa Rica. The Family Gomphillaceae, 162
BUCK WILLIAM R., RICHARD C. HARRIS, A. JONATHAN SHAW, MICHELE D. PIERCEY-NORMORE, ABTIN TABAEE, JANIS ANTONOVICS, and ELIZABETH E. CRONE. Unusual Lichens under Electricity Pylons on Zinc-enriched Soil, 130+
BUCK, WILLIAM R. *See* THIERS, BARBARA M., 153+
BUCK, WILLIAM R. *See* THIERS, BARBARA M., 553
BUCK, WILLIAM R. *See* THIERS, BARBARA M., 756+
Buellia (Pluriseptate spores), 249+*m; alboatra, 263; capitis-regum, 262; cedricola, 250+*m; griseovirens, 263; lauricassiae, 262; **muriformis sp. nov.**, 251+*m; oidalea, 252+*m; **oidaliella sp. nov.**, 254+*m; penichra, 252+*m; pulverulenta, 262; subdispersa, 257*m; **terricola sp. nov.**, 258*m; tolucae, 259*m; triphragmioides, 261+m; **triseptata sp. nov.**, 260*m; venusta, 262; vernicoma, 262
CALATAYUD, VICENT and VÍCTOR J. RICO. Chemotypes of Dimelaena oreina (Ascomycotina, Physciaceae) in the Iberian Peninsula, 39+
Calcareous streams, 720+
Caliciaceae (North America), 377+
Caliciales sensu lato, 370+
Calicium minutissimum, *390*
Callicosta bipinnata, 681
Callopisma bauerii, *684*; haematodes, *689*
Caloplaca, 99+; amylacea, *689*; baueri, 684+*m; cardinalis, *689*; cinnabarina, 683+, 687+*m; cinnabarina f. isidiosa, 689; cinnibarinum f. isidiousum, *689*; delectans, *684*; **endodermia sp. nov.**, 99+*m; haematodes, 689+; holochracea, *687*; intermedia, *687*; **lagunensis sp. nov.**, 99+*m; **pygmaea sp. nov.**, 102+*m; rosei, 688+*m; rubelliana, 689+*m; **stipitata sp. nov.**, 102+*m; subunicolor, 690
Calymperaceae, 122+
Cameroon (Brachymitrion), 108+
Canary Islands, 619+
Canopy bryophytes (Rainforest), 325
CAO, TONG. *See* GUO, SHUILIANG, 404
CAO, TONG. *See* WU, YUHUAN, 317
Capsule wall anatomy (Frullania), 240+*
Categorical data analysis, 16
Catillaria erysiboides, 710
cDNA (Tortula ruralis), 418+
Cercidospora soror, 106; trypetheliza, 106
Chaenotheca brachypoda, 370; chlorella, 370; cinerea, 371; hispidula, 371; hygrophila, 378; servitii, 379; sphaerocephala, 379; stemonea, 371
Chaenothecopsis asperopoda, 380; consociata, 371; debilis, 372; **edbergii sp. nov.**, 381+*; **exilis sp. nov.**, 383+*; haematopus, 383; irregularis, 385; koerberi, *385*; nana, 372; ochroleuca, 385; parasitaster, 372; pusilla, 372; pusiola, 372; rubescens, 372; rubina, 372; savonica, 373; **sitchensis sp. nov.**, 366+*; subparoica, 373; tasmanica, 385; thujae, 386*; **tsugae sp. nov.**, 366+*; ussuriensis, 373; viridialba, 373; viridireagens, 374
CHAU, LAWRENCE. *See* ZHANG, LI, 122+
Checklist (Caliciales sensu lato in California, Oregon, and Washington), 371
Checklist (Epiphyllous liverworts, southeastern United States), 310m
Checklist (Epiphytic bryophytes, southeastern Brazilian rainforests), 322+
Checklist of epiphyllous bryophytes from the Lacandon Forest, Chiapas, Mexico, 748+
Cheilolejeunea pluriplicata, 45+*m
Chemotaxonomy (Parmelioid lichens), 442+
Chemotypes (Dimelaena), 39+
Chemotypes (Ramalina americana), 604m
Chile (Hennediella), 349+
China (Plagiochila), 200+
China, Northwestern (Asterella), 169
China, Southwestern (Scapania), 317
Chlorophyll a fluorescence, 624
Cinclidotus riparius, 722+
Cladonia coccifera, 625
CLARK, JOHN. *See* SNIDER, JERRY, 119+
Classification (Parmelioid lichens), 442+
Cleistocarpous capsules, 92
CO_2-porometer, 623
Collema dussii, *22*
Collemataceae, 22+
Cololejeunea cardiocarpa, 309+m; linopteroides, 437+*; minutissima, 309+m; sigmoidea, 437+*

Confluentic acid (Pertusaria), 212, 216
Conidia, 86
Conidiomata, 87+
Connorstictic acid (Pertusaria), 210+, 216+
Conprotocetraric acid (Pertusaria), 216
Constictic acid (Dimelaena), 40+
Constictic acid (Pertusaria), 216
Contingency table, 16
Copper moss, 273
CORBRIDGE, JAMES N. and WILLIAM A. WEBER. A Rocky Mountain Lichen Primer [reviews], 159+
CORLETT, RICHARD T. *See* ZHANG, LI, 122+
Correct classification rate, 723+
Coscinodon arctolimnius, 265+*m; calyptratus, 265+*m; cribrosus, 265+*m; cribrosus, 435; hartzii, 265+*m; hookeri, *266*; persoonii, *270*; **yukonensis sp. nov.**, 265+*m
Costa Rica (Cololejeunea), 437+
COSTA, DENISE PINHEIRO DA. Epiphytic Bryophyte Diversity in Primary and Secondary Lowland Rainforests in Southeastern Brazil, 320+
COX, CYMON J. *See* HEDDERSON, TERRY A., 26+
CRONE, ELIZABETH E. *See* BUCK, WILLIAM R., 130+
CRUM, HOWARD. [Review of:] Edwards, Sean R. English Names for British Bryophytes, 166
Cryphaea patens, 681
Cryptopodium bartramioides, 636+
Cryptostictic acid (Biatora), 694
Cryptostictic acid (Dimelaena), 40+
Cryptostictic acid (Pertusaria), 216
CULBERSON, CHICITA F., SCOTT LAGRECA, ANITA JOHNSON and WILLIAM LOUIS CULBERSON. Trivaric Acid, a New Tridepside in the Ramalina americana Chemotype Complex (Lichenized Ascomycota: Ramalinaceae), 595+
CULBERSON, CHICITA F. *See* NARUI, TAKAO, 80+
CULBERSON, WILLIAM LOUIS. *See* CULBERSON, CHICITA F., 595+
CULBERSON, WILLIAM LOUIS. *See* NARUI, TAKAO, 80+
Cybebe gracilenta, 374
Cynodontium gracilescens, 347*
Cyrtopus setosus, 636+, 681
DAHL, EILIF. The Phytogeography of Northern Europe (British Isles, Fennoscandia and Adjacent Areas) [review], 158
Database (Parmelioid names), 462+*
DE LUNA, EFRAIN. *See* NEWTON, ANGELA E., 651+
DE LUNA, EFRAIN, ANGELA E. NEWTON, ALISON WITHEY, DOLORES GONZALEZ, and BRENT D. MISHLER. The Transition to Pleurocarpy. A Phylogenetic Analysis of the Main Diplolepidous Lineages Based on rbcL Sequences and Morphology, 634+
DE SLOOVER, JEAN LOUIS. Hépatiques, Mousses et Muscinées des Livres de Simples (1554–1644) de Rembert Dodoens [and] Les Muscinées du *Botanicon Parisiense* (1727) de Sébastien Vaillant [review], 161
Decaroxythamnolic acid (Pertusaria), 216
Deforestation (bryophyte diversity), 320+
Degraded Lowland Rainforest (Brazil), 320
DEGUCHI, HIRONORI. *See* MATSUMOTO, TATSUO, 86+
Dendroligotrichum dendroides, 352+; squamosum, 352+
DEPRIEST, PAULA T. Development of Mason E. Hale's List of Epithets in the Parmelioid Genera (Lichen-Forming Ascomycotina): A Bibliographic Review, 442+
DEPRIEST, PAULA T. *See* HALE, BEATRICE WILDE, 462
DERDA, GREGORY S., ROBERT WYATT, and JAAKKO HYVÖNEN. Genetic Similarities Among the Hair-Cap Mosses (Polytrichaceae) as Revealed by Enzyme Electrophoresis, 352+*
Desiccation tolerance, 418+
Development (Ephemerum cohaerens), 179+
DIAMOND, ALVIN R., JR., MICHAEL WOODS and HANNELORE RUNDELL. Epiphyllous Hepatics from Southern Alabama, 309+m
Dicranum scoparium, 636+, 681
Didymodon, 112+; anserinocapitatus, 114; asperifolius, 114; australasiae, 115; brachyphyllus, 115; fallax, 114; ferrugineus, 114; giganteus, 114; incrassatolimbatus, 115; johansenii, 114; leskeoides, 114; maximus, 114; michiganensis, 114; nevadensis, 115; nicholsonii, 115; nigrescens, 114; **norrisii sp. nov.**, 112+*; perobtusus, 114; revolutus, 115; rigidulus, 114; sinuosus, 114; subandreaeoides, 114; tophaceus, 114; umbrosus, 115; vinealis, 115
Dihydropertusaric acid (Pertusaria), 216
Dimelaena oreina, 39+m
Diploicin (Buellia), 254
Diplolepidous lineages, 634+
Diplotomma alboatrum γ dispersum, *257*; dispersum, *257*; subdispersa, *257*
Distribution (Coscinodon), 265+m
Ditrichaceae, 119+
Diurnal courses of thallus temperature, 626+
Divaric acid (Ramalina), 596+*
Diversity (ephiphytic bryophytes), 320+
DNA (Tortula ruralis), 418+
DNA extraction, sequencing, and alignment, 26
DNA sequence data, 636
DNA sequencing, 605
Dormancy/nondormancy cycles, 15+
DUFF, R. JOEL, MELVIN J. OLIVER and ANDREW J. WOOD. A Tortula ruralis cDNA Encoding Small-subunit Ribosomal Protein S3a: Polysomal Retention of Transcript in Response to Desiccation and Rehydration, 418+*
DURWAEL, LEEN. *See* VANDERPOORTEN, ALAIN, 720+
EDWARDS, SEAN R. English Names for British Bryophytes [review], 166
EGAN, ROBERT S. [Review of:] Corbridge, James N. and William A. Weber. A Rocky Mountain Lichen Primer, 160
EGAN, ROBERT S. [Review of:] Database for the Identification of Parmelia Ach. of Great Britain and Ireland, 160
EGAN, ROBERT S. [Review of:] Glenn, M. G., R. C. Harris, R. S. Dirig and M. C. Cole. Lichenographia Thomsoniana: North American Lichenology in Honor of John W. Thomson, 159
EKMAN, STEFAN. The Corticolous and Lignicolous Species of Bacidia and Bacidina in North America [review], 165+
Electricity pylons, 130+
Electrophoretic phenotypes (Polytrichaceae), 352+
Ellesmere Island, Northeastern Canada, 753+
Emodin (Caloplaca), 684
Endemic (Montana), 116+
Entodon hampeanus, 681
Enzyme electrophoresis (Polytrichaceae), 352+
Ephemeral moss, 92
Ephemerum cohaerens, 179+*; serratum var. tenerum, *409*; tenerum, *409*
Epidendrum conopseum, 309+
Epiphyllous bryophytes, 747+
Epiphyllous hepatics (Alabama), 309+m
Epiphytic bryophyte diversity, 320+
EQUIHUA, CLEMENTINA and TAMÁS PÓCS. Epiphyllous Bryophytes from the Lacandon Forest, Chiapas, Mexico, 747+

ESSLINGER, THEODORE L. Recent Literature on Lichens—172, 137+
ESSLINGER, THEODORE L. Recent Literature on Lichens—173, 330+
ESSLINGER, THEODORE L. Recent Literature on Lichens—174, 558+
ESSLINGER, THEODORE L. Recent Literature on Lichens—175, 766+

FAHSELT, DIANNE. [Review of:] Kappen L. New Species and Novel Aspects in Ecology and Physiology of Lichens in Honour of O. L. Lange, 779+
Falkland Islands (Pertusaria), 208+
Fallacinal (Caloplaca), 684
Fissidens, 125+; beckettii, 125; brittonii var. percurrens, *126*; crassipes, 722+; crispus, 125; diplodus, *126*; diplodus var. mollis, *126*; inaequalis, 126; jaliscensis, *125*; juruensis, *126*; juruensis var. percurrens, *126*; lagenarius, 125; **lagenarius var. muriculatus comb. nov.**, 126; muriculatus, *126*; palmatus, 126; pauper, *125*; quisqueyanus, *125*; reticulosus, 126; uleana, *125*
Fontinalis antipyretica, 27+, 722+; dalecarlica, 636+; squamosa, 681
Franciella spiridentoides, 636+
Freezing microtome, 22
FREGO, KATHERINE A. [Review of:] Longton, Royce E. Population Studies, 163+
Frullania (Capsule wall), 240+*; aterrima, 240+*; deplanata, 241+*; patula, 241+*; rostrata, 240+*; solanderiana, 240+*
FU, XING. *See* WU, YUHUAN, 317
FUERTES, ESTHER. *See* MUNÍN, ESTRELLA, 135+
Fumarprotocetraric acid (Dimelaena), 40+
Funaria hygrometrica, 27+, 636+, 681

Gametophore production (Polytrichum commune), 398+
Gametophyte desiccation (Tortula ruralis), 418+
Gametophyte vaginula (Ephemerum cohaerens), 179+*
GARCÍA-ZAMORA, PEDRO. *See* LARA, FRANCISCO, 53+
GARILLETI, RICARDO. *See* LARA, FRANCISCO, 53+, 619+
GAW, 50
GENBANK, 26
Gene expression (Tortula ruralis), 418+
Gene sequences, 26+
Genera (Parmelioid lichens), 442+
Genetic identities (Polytrichaceae), 355+
Genetic similarities (Polytrichaceae), 352+
Genus concept, 86+
Germination patterns, 17+
Germination temperature, 16
GIBBINGS, J. GEORGE. *See* HEDDERSON, TERRY A., 26+
GLENN, M. G., R. C. HARRIS, R. S. DIRIG and M. C. COLE. Lichenographia Thomsoniana: North American Lichenology in Honor of John W. Thomson [review], 159
Glyphomitrium neo-caledonicum, *405*
GOFFINET, BERNARD. Brachymitrion immersum (Splachnaceae, Musci), a New Species from Cameroon, 108+
GOFFINET, BERNARD, JONATHAN SHAW, LEWIS E. ANDERSON, and BRENT MISHLER. Peristome Development in Mosses in Relation to Systematics and Evolution. V. Diplolepideae: Orthotrichaceae, 581+
GOFFINET, BERNARD. [Review of:] Thomson, John W. American Arctic Lichens. 2. The Microlichens, 345+
GONZALEZ, DOLORES. *See* DE LUNA, EFRAIN, 634+
GRADSTEIN, S. ROB. *See* MÜLLER, JOCHEN, 729+
Greenland, 104+
GREVEN, HENK and TOBY SPRIBILLE. Grimmia brittoniae, a Rare Moss Endemic to Northwestern Montana, 116+
GREVEN, HENK C. A Synopsis of Grimmia in Mexico, Including Grimmia mexicana, sp. nov., 426+
GREVEN, HENK C. [Review of:] Vanderpoorten, A. A Bryological Survey of the Brussels Capital Region (Belgium), 575
Grimmia (= Schistadium) apocarpa, 636+
Grimmia (Mexico), 426+; affinis, *431*+; antillarum, *431*; apiculata, *429*+; arctolimnia, *277*; arizoniae, 428+; arsenei, *428*; austro-funalis, 428; benoisti, *428*; bernouillii, 428*; bogotensis, *431*; britannica, *428*; brittoniae, 116+*m; calyptrata, *266*; campestris, *431*; catalinensis, *431*; columbica, *266*; crassiretis, *428*; cribrosa, *270, 435*; donniana, 429; elongata, 429; flexicaulis, *429*; fuliginosa, *429*; fusco-lutea, 429; glauca, *431*; haleakalae, *431*; involucrata, 431; laevigata, 431+; laxa, *434*; leiocarpa, *431*; leucophaea, *431*; longirostris, 431; **mexicana sp. nov.**, 432*; montana, 434; moxlevi, 434; orbicularis, 434; ovalis, 426+; pansa, *428*; pilifera, 426+; praetermissa, *431*; pulla, 435; pulvinata, 435, 624+; santa-riae, *428*; schiedana, *434*+; tenerrima, 426+; tergestina, 426+; tolucensis, *429*+; torquata, 435; trichophylla, 435; trichophylloidea, *431*
GROLLE, RICLEF and MAY LING SO. Studies of Plagiochila Sect. Subtropicae in Asia, 67+
GROLLE, RICLEF and MAY LING SO. Studies on Plagiochila in China III, 200+*
GROLLE, RICLEF and MAY LING SO. Studies on Plagiochila sect. Contiguae in East and South Asia, 294+*
GROLLE, RICLEF and MAY LING SO. Studies on Plagiochila sect. Tayloriae in Asia, 287+*
GRUBE, MARTIN. [Review of:] Tehler, Anders. Syncesia (Arthoniales, Euascomycetidae). Flora Neotropica Monograph 74, 573
GUO, SHUILIANG and TONG CAO. Two Neglected Species of Ptychomitrium (Musci), with New Synonyms, 404+*
Gyrophoric acid (Biatora), 694
Gyrophoric acid (Dimelaena), 40+
Gyrophoric acid (Pertusaria), 216
Gyrophoric acid (Ramalina), 596+*

Haemathamnolic acid (Pertusaria), 216
Hair-cap mosses (Genetic similarities), 352+
Hale's List of Epithets in the Parmelioid Genera, 442+, 462+
HALE, BEATRICE WILDE and PAULA T. DEPRIEST. Mason E. Hale's List of Epithets in the Parmelioid Genera, 462+
HALE, MASON E., 442+
HALLINGBÄCK, T. Rödlistade mossor i Sverige—Artfakta [review], 157+
HANSEN, ERIC STEEN and WALTER OBERMAYER. Notes on Arthrorhaphis and its Lichenicolous Fungi in Greenland, 104+
HARADA, HIROSHI. Pyrenocollema japonicum, a New Freshwater Species of Pyrenocarpous Lichen from Japan, 50+
HARRIS, PHILIP J. *See* VON KONRAT, MATT, 240
HARRIS, RICHARD C. *See* BUCK, WILLIAM R., 130+
HASTINGS, ROXANNE. Taxonomy and Biogeography of the Genus Coscinodon [Bryopsida, Grimmiaceae] in North America, Including a New Species, 265+*m
HEDDERSON, TERRY A., CYMON J. COX, and J. GEORGE GIBBINGS. Phylogenetic Relationships of the Wardiaceae (Musci); Evidence from 18s rRNA and rps4 Gene Sequences, 26+
Hedwigia ciliata, 624+, 636+, 681
HEINRICHS, JOCHEN. *See* MÜLLER, JOCHEN, 729+
Hennediella **diaguita sp. nov.**, 349+*; heimii, 351; steereana, 351

HENSSEN, AINO. *See* JØRGENSEN, PER M., 22+
Hepatics (Capsule wall anatomy), 240+*
Hepatics, epiphyllous (Alabama), 309+m
Heterodermia, 1+; albicana, 2; appalachensis, 2+m; ciliatomarginata, 3+; comosa, 4*; dendritica var. japonica, 6; dendritica var. propagulifera, 6; diademata, 13; erinacea, 4; granulifera, 4+m; hypoleuca, 5+m; japonica, 5; leucomela, 7m; **lineare sp. nov.**, 7*m; namaquana, 8; obscurata, 9m; podocarpa, 9+*m; propagulifera, 6; pseudospeciosa, 10+m; rugulosa, 11m; spathulifera, 11; speciosa, 12m; tropica, 12+m
Hexastylis arifolia, 309+
Highly Degraded Hillside Rainforest (Brazil), 320
Hilpertia velenovskyi, 753+*m
Histochemistry (Frullania capsule layers), 240+
Homothecium, 22
Hong Kong, China (Syrrhopodon), 122+
Hookeria acutifolia, 636+, 681
Horizontal starch-gel electrophoresis (Polytrichaceae), 352+
Hosts of epiphyllous liverworts (southeastern United States), 309+
Hyperconfluentic acid (Pertusaria), 216
Hypnodendron dendroides, 681; menziesii, 636+; vitiense, 636+
Hypnum cupressiforme, 625; fertile, 681
Hypoconstictic (Dimelaena), 40+
Hypogymnia farinacea, 625
Hypopterygium tahitense, 636+; tamariscinum, 636+, 681
Hypostictic acid (Pertusaria), 216
Hypothamnolic acid (Pertusaria), 216
HYVÖNEN, JAAKKO. *See* DERDA, GREGORY S., 352

Iberian Peninsula, 39+, 135+
Incubation thermoperiod, 18
Islas Malvinas (Pertusaria), 208+
Isofulgidin (Buellia), 254
Isousnic acid (Biatora), 694
Isousnic acid (Buellia), 252+

Japan, 50+
Japewia, 718+
Japewiella gen. nov., 714+; **carrollii comb. nov.**, 715+*m; **djagensis comb. nov.**, 716+*m; **pacifica sp. nov.**, 716+*m
JOHNSON, ANITA. *See* CULBERSON, CHICITA F., 595+
JØRGENSEN, PER M. and AINO HENSSEN. Further Species of the Lichen Genus Staurolemma (Collemataceae, Lichenized Ascomycetes), 22+
JØRGENSEN, PER M. and TOR TØNSBERG. Notes on some Small Species of Leptogium from Pacific North America, 412+*
Jungermannia arbuscula, *291*; bantamensis, *202*; cristata, *203, 300*; javanica, *73, 297*

Kalmia latifolia, 309+
KAPPEN, L. New Species and Novel Aspects in Ecology and Physiology of Lichens in Honour of O. L. Lange [review], 779+
KÄRNEFELT, EINAR I. *See* WETMORE, CLIFFORD M., 683+
Key to Buellia Species with Pluriseptate Spores in North America, 262+
Key to Chaenotheca of North America, 378
Key to Chaenothecopsis of North America, 380
Key to Didymodon in North America Including Mexico, 114+
Key to Genera (related to Staurolemma), 22
Key to Neotropical Taxa of Syrrhopodon Subgenus Pseudocalymperes, 79
Key to Phaeocalicium of North America, 386
Key to Sclerophora of North America, 392
Key to Species of Sect. Cobanae in East Asia (Plagiochila), 202
Key to Stenocybe of North America, 394
Key to the Genus Biatora in Northwestern North America, 695+
Key to the Genus Grimmia in Mexico, 427
Key to the Known Species of Japewiella, 715
Key to the Neotropical Species of Plagiochila sect. Plagiochila (Sterile Plants), 732
Key to the Sonoran Desert Species of Heterodermia, 2
Key to the Species (Pertusaria with Hyaline Ascospores, Southwestern North America), 216+
Key to the Species of Arthrorhapsis Containing Rhizocarpic Acid, 104+
Key to the Species of Brachymitrion Tayl., 110
Key to the Species of Pertusaria on the Falkland Islands, 213+
Key to the Species of Plagiochila Sect. Subtropicae in Asia, 67+
Key to the Species of Sect. Contiguae in East and South Asia, 294
Key ot the Species of Sect. Tayloriae in Asia (Plagiochila), 287+
Key to two sections of Plagiochila, 67
KINOSHITA, YASUHIRO. *See* MATSUBARA, HIDEKI, 196
KUROKAWA, TEIKO. *See* MATSUBARA, HIDEKI, 196

L. E. Anderson Bryophyte Herbarium, 348
LADD, DOUGLAS. [Review of:] Archer, Alan W. The Lichen Genus Pertusaria in Australia, 574
LAGRECA, SCOTT. A Phylogenetic Evaluation of the Ramalina americana Chemotype Complex (Lichenized Ascomycota, Ramalinaceae) Based on rDNA ITS Sequence Data, 602+
LAGRECA, SCOTT. *See* CULBERSON, CHICITA F., 595+
LARA, FRANCISCO, VICENTE MAZIMPAKA, RICARDO GARILLETI, and MONTSERRAT BRUGUÉS. Orthotrichum handiense, sp. nov. from Fuerteventura, Canary Islands, 619+
LARA, FRANCISCO, VICENTE MAZIMPAKA, RICARDO GARILLETI, and PEDRO GARCÍA-ZAMORA. Orthotrichum vittii, a New Epiphytic Moss from Spain, 53+
Lasallia asiae-orientalis, 82+; brigantium, 82+; hispanica, 82+, 624+; mayebarae, 82+; papulosa, 82+, 605; pensylvanica, 82+; pustulata, 82+, 624+; rossica, 82+; sinorientalis, 82+
Leaf development biochemistry (Gymnocolea inflata), 304+
Lecanora cinnabarina, *687*; cinnabarina var. perminiata, *689*; flavopunctata, *699*; holochracea, *687*; rubelliana, *689*; subunicolor, *690*
Lecanoric acid (Biatora), 694
Lecanoric acid (Dimelaena), 40+
Lecanoric acid (Pertusaria), 216
Lecanoric acid (Ramalina), 596+*
Lecidea albohyalina, 710; anomala f. albohyalina, *710*; apochroeiza, *706*; cf. betulicola, 711; chrysantha, *696*; cuprea, *697*; djagensis, *716*; erysiboides, *710*; helvola f. efflorescens, *698*; internectens, *706*; **meiocarpa var. tacomensis var. nov.**, 712+m; tavaresiana, *715*; vacciniicola, *708*; vernalis f. subduplex, *706*
Leciophysma, 22
Leightoniella, 22
Lejeunea (Anomalolejeunea) puriplicata, *45*; minutiloba, 321+
Lejeuneaceae, 45+, (Brazilian rainforest), 321+
Lempholemma dussii, *22*
Leptobryum pyriforme, 636+, 681
Leptogium aquale, 412*; biatorinum, *414*; **cellulosum sp.**

nov., 412+*; microphylloides, 414*; nanum, 414*; perminutum, 415+*; spp., 412+*; subtile, *415*; **tacomae sp. nov.**, 415+*
Leptotrema andamanicum, *89*
Lepyrodon tomentosus, 681
Leucodon julaceous, 636+; julaceus, 681
Leucotylin (Heterodermia), 3
Lichen leucomelos, *7*; pseudocorallinus, *231*; speciosus, *12*; vernalis, *709*
Lichenicolous fungi, 104+
Lichenized calicioid fungi, 377+
Lichenoconium lecanorae, 42
Lichexanthone (Pertusaria), 216
Life forms (epiphytic bryophytes), 320+
List of Accepted Names with Synonyms (Parmelioid lichens), 514+
List of Epithets in the Parmelioid Genera, 442+, 466+
LONG, DAVID G. Studies on the Genus Asterella. IV. Asterella grollei sp. nov., a New Species from Eastern Asia Related to the American A. palmeri, 169+*
LONGTON, ROYCE E. Population Studies [review], 163+
Lophocolea granatensis, 321+
Lorentziella imbricata, 92+
Lowland Atlantic Rainforest (Brazil), 320+
LÜCKING, ROBERT. Additions and Corrections to the Knowledge of the Foliicolous Lichen Flora of Costa Rica. The Family Gomphillaceae [review], 162
LUMBSCH, H. THORSTEN. *See* MESSUTI, MARÍA INÉS, 314
LUMBSCH, H. THORSTEN, THOMAS H. NASH III and MARÍA INÉS MESSUTI. A Revision of Pertusaria Species with Hyaline Ascospores in Southwestern North America (Pertusariales, Ascomycotina), 215+*m
LUTZONI, FRANÇOIS. [Review of:] Ekman, Stefan. The Corticolous and Lignicolous Species of Bacidia and Bacidina in North America, 165+

MacClade, 655
Macromitrium longifolium, 636+, 681
MAHÚ, MANUEL. *See* ZANDER, RICHARD H., 349
MARCELLI, MARCELO P. and MARK R. D. SEAWARD. Lichenology in Latin America: History, Current Knowledge and Applications [review], 778+
MARCELLI, MARCELO P. and TEUVO AHTI. Recollecting Edvard August Vainio [review], 777+
MATSUBARA, HIDEKI, YASUHIRO KINOSHITA, YOSHIKAZU YAMAMOTO, TEIKO KUROKAWA, ISAO YOSHIMURA, and KUNIO TAKAHASHI. Distribution of New Quaternary Ammonium Compounds, Solorinine and Peltigerine, in the Peltigerales, 196+*
MATSUMOTO, TATSUO and HIRONORI DEGUCHI. Pycnidial Structures and Genus Concept in the Thelotremataceae, 86+
Mature Secondary Hillside Rainforest (Brazil), 321
Maximum parsimony analyses, 27
MAZIMPAKA, VICENTE. *See* LARA, FRANCISCO, 53+
MAZIMPAKA, VICENTE. *See* LARA, FRANCISCO, 619+
MCCUNE, BRUCE. [Review of:] Türk, Roman and Roberto Zorer. Progress and Problems in Lichenology in the Nineties, 163
MCLETCHIE, D. NICHOLAS. Dormancy/Nondormancy Cycles in Spores of the Liverwort Sphaerocarpos texanus, 15+
MDS (Polytrichaceae), 355+
Meiotrichum lyallii, 352+
Menegazziaic acid (Dimelaena), 40+
Menegazziaic acid (Pertusaria), 216
Merismatium decolorans, 106
Mesochaete undulata, 636+
MESSUTI, MARÍA INÉS. *See* LUMBSCH, H. THORSTEN, 215
MESSUTI, MARÍA INÉS & ALAN W. ARCHER. The Lichen Genus Pertusaria in the Falkland Islands (Islas Malvinas), 208+*
MESSUTI, MARÍA INÉS, ANTONIN VÉZDA, & H. THORSTEN LUMBSCH. Belonia uncinata (Gyalectales, Ascomycotina) New to South America, 314+*
Metalejeunea cucullata, 321+
Meteorium teres, 681
Methyl divarate (Ramalina), 596+*
Methyl lecanorate (Ramalina), 596+*
Methyl nordivaricatate (Ramalina), 596+*
Methyl orsellinate (Ramalina), 596+*
Methyl pseudonorstictate, 212
Mexico (Caloplaca), 99+
Mexico (Chipas, epiphyllous bryophytes), 747+
Mexico (Grimmia), 426+
Mexico (Japewiella), 714+
Micarea myriocarpa, 133
Microcalicium ahlneri, 374; conversum, 374; disseminatum, 374
Micromethanolysis, 596+
Micromitrium austinii, *409*; tenerum, 409+
MIES, BRUNO. *See* SCHULTZ, MATTHIAS, 61+
MISHLER, BRENT D. *See* DE LUNA, EFRAIN, 634+
MISHLER, BRENT D. *See* GOFFINET, BERNARD, 581+
Mnium hornum, 27+
MOBERG, ROLAND and THOMAS H. NASH III. The Genus Heterodermia in the Sonoran Desert Area, 1+
Moenkemeyera wainionis, *125*
MOGENSEN, GERT S. and RICHARD H. ZANDER. Hilpertia velenovskyi (Musci, Pottiaceae) New to the Arctic from Ellesmere Island, Northeastern Canada, 753+
Monoclonal antibodies (Gymnocolea inflata), 304+
Montana (Grimmia), 116+
MORALES, Z., MARIA ISABEL. *See* BERNECKER-LÜCKING, ANDREA, 437
Morphology (Gymnocolea inflata), 304+
Muellerella pygmaea var. athallina, 42
MÜLLER, JOCHEN, JOCHEN HEINRICHS, and S. ROB GRADSTEIN. A Revision of Plagiochila sect. Plagiochila in the Neotropics, 729+
MUNÍN, ESTRELLA and ESTHER FUERTES. Sphagnum viride in the Iberian Peninsula, 135+
Musci Fuegiani Exsiccati (Series V), 346
Mycocaliciaceae (North America), 377+
Myriotrema andamanicum, *89*; clandestinum, 87+; mastarion, *89*; microporum, 87+; rugiferum, 87+*; terebratulum, 87+

Nanomitrium austinii, *409*; tenerum, *409*
NARUI, TAKAO, KEIKO SAWADA, CHICITA F. CULBERSON, WILLIAM LOUIS CULBERSON, and SHOJI SHIBATA. Pustulan-type Polysaccharides as a Constant Character of the Umbilicariaceae (Lichenized Ascomycotina), 80+
NASH, THOMAS H., III. *See* LUMBSCH, H. THORSTEN, 215
NASH, THOMAS H., III. *See* MOBERG, ROLAND, 1+
NASH, THOMAS H., III. [Review of:] Schöller, Heribert. Flechten: Gesichte, Biologie, Systematik, Ökologie, Naturschutz und kulturelle Bedeutung, 575
Natal (Astomiopsis), 119+
Neckera urnigera, 636+, 681
Neotropics (Syrrhopodon), 76+
Nepal (Asterella), 169
Nephroma arcticum, 196+; bellum, 196+; resupinatum, 196+; tropicum, 196+
New Zealand (Frullania), 240+
NEWTON, ANGELA E. and EFRAIN DE LUNA. A Survey of Morphological Characters for Phylogenetic Study of the Transition to Pleurocarpy, 651+
NEWTON, ANGELA E. *See* DE LUNA, EFRAIN, 634+
NMR, 81+

Non-lichenized calicioid fungi, 377+
Nonmetric-multidimensional scaling (Polytrichaceae), 355+
Nonpsoromic acid (Ocellularia), 89
Noragropsin (Biatora), 694
NORDIN, ANDERS. Buellia Species with Pluriseptate Spores: New and Unrecorded Species in North America, 249+*m
Nordivaricatic acid (Ramalina), 596+*
NORRIS, DANIEL H. [Review of:] Buck, William R. Pleurocarpous Mosses of the West Indies, 156+
Norstictic acid (Buellia), 258
Norstictic acid (Dimelaena), 40+
Norstictic acid (Heterodermia), 5+
Norstictic acid (Pertusaria), 210+
North America (Buellia), 249+*m
North America (Calicioid fungi), 377+
North America (Coscinodon), 265+*m
North America (Pseudocyphellaria), 128+
North America, Northwestern (Biatora), 692+
North America, Pacific (Leptogium), 412+
North America, Southwestern (Pertusaria), 215+*m
North America, Western (Caliciales sensu lato), 370+
North America, Western (Chaenothecopsis), 366+
North America, Western (Didymodon), 112+
Northern blot analysis (Tortula ruralis), 419+*
Nostoc, 23
Nuclear targeting signals (RPS3a), 422
NYHOLM, ELSA. Illustrated Flora of Nordic Mosses. Fasc. 4 [review], 573

OBERMAYER, WALTER. *See* HANSEN, ERIC STEEN, 104+
Obtusatic acid (Chaenotheca), 379
Ocellularia andamanicum comb. nov., 87+*; antillensis, 87+*
OCHYRA, RYSZARD. The Moss Flora of King George Island, Antarctica [review], 576
Old-growth forest (Caliciales), 370+
Old-growth Picea sitchensis (Chaenothecopsis), 367
Oligotrichum aligerum, 352+; hercynicum, 352+; parallelum, 352+
OLIVER, MELVIN J. *See* DUFF, R. JOEL, 418
Orcinol (Ramalina), 596+*
Orcinyl lecanorate (Ramalina), 596+*
Orsellinic acid (Pertusaria), 216
Orsellinic acid (Ramalina), 596+*
Orthotrichaceae, 581+
Orthotrichum diaphanum, 53; **handiense sp. nov.**, 619+*; pumilum, 636+; pycnophyllum, 681; rupestre, 625; **vittii sp. nov.**, 53+*m
Ovoic acid (Dimelaena), 40+
Ozone concentration effects, 398+

Pacific Northwest (Caliciales sensu lato), 370+
Papillari deppei, 681
Papillaria deppei, 636+, 669+
Par-autoicy (Asterella), 176
Parietin (Caloplaca), 684
Parietinic acid (Caloplaca), 684
Parmelia, 442+; albicans, *2*+m; comosa, *4*; conspersa, 625; granulifera, *4*; loxodes, 625; omphalodes, 625; podocarpa, *9*; pulla, 625; s. latu, 442+; saxatilis, 625; speciosa β hypoleuca, *5*; sulcata, 625; tiliacea, 625; velata, *237*
Parmelioid genera, 442+
Parmelioid lichens, 462+
Paulia, 61+; aldabrensis, 62+*m; caespitosa, 62+; cubana, 62+; gibbosa, 62+*m; glomerata, 62+; japonica, 62+; myriocarpa, 62+*m; perforata, 62+*m; rhizophora, 62+; schroederi, 62+m; stipitata, 62+; wrightii, 62+
PAUP, 27, 605, 637, 655
PCR amplification, 636
PEART, JAN. *See* BASILE, DOMINICK V., 304
Pectinase (Frullania cell separation), 241+
Peltigera aphthosa, 196+; canina, 196+; degenii, 196+; dilacerata, 196+; dolichorrhiza, 196+; elizabethae, 196+; leucophlebia, 196+; nigripunctata, 196+; polydactyla, 196+; praetextata, 196+; pruinosa, 196+; rufescens, 196+; scabrosa, 196+; spuria, 196+
Peltigerales (Ammonium compounds), 196+*
Peltigerine (Peltigerales), 196+*
Peristome development, 581+
Peristome structure, 29
Pertusaria (Falkland Islands; Islas Malvinas), 208+*
Pertusaria (Southwestern North America), 215+*m
Pertusaria albescens, 218+*; alta, *210*; alterimosa, 208+*; amara, 218+*m; arizonica, *235*; arsenei, *231*; azulensis, 218+*m; basaltica, *212*; **brattiae sp. nov.**, 218+*m; californica, 218+*; cerebrinula, 209+*; chiodectonoides, 220; coccodes, 133; coccopoda, *228*; consocians, 220+*; corallophora, 213; corrugata, *210*; corrugata f. phaeizans, *210*; darbishireana, *210*; darbishireana f. phaeizans, *210*; elatior, *210*; erubescens, 208+*; flavicunda, 221+*m; hymenea, 221+*; lecanina, 221+*; leioplaca, 221+; macloviana, 208+*; **malvinae sp. nov.**, 211+*; mariae, 223+*m; mesotropa, 223+*; moreliensis, 228+*; **neolecanina sp. nov.**, 229+*; ophthalmiza, 230+*m; perrimosa, 212+*; pertusa, 213; pseudocorallina, 231+*; pustulata, 232+; rubefacta, 232+*; **salacinifera sp. nov.**, 212+*; santamonicae, *237*; saximontana, 233+*m; solitaria, *210*; sommerfeltii, 234+*; spegazzinii, 213+*; stenhammarii, 234+*; tejocotensis, 235+*m; tetrathalamia, 236+*; texana, 236+*; velata, 237+*; wulfenoides, 237+*m; xanthodes, 238+*m
PETERSEN, RAYMOND L., AUGUSTUS BOSLEY, and JOANNE REBBECK. Ozone Stimulates Protonematal Growth and Gametophore Production in Polytrichum Commune, 398+*
PETERSON, ERIC B. and JOUKO RIKKINEN. Range Extension of Selected Pin-lichens and Allied Fungi in the Pacific Northwest, 370+
Phaeocalicium betulinum, 388; compressulum, 375; flabelliforme, 388; **matthewsianum sp. nov.**, 390+*; **minutissimum comb. nov.**, 390+*; populneum, 375
Phaeographis smithii, 134
Phascum tenerum, *409*
Philonotis nitida, 636+; rigida, 681
Photosynthetic activity patterns, 623+
Phylogenetic analysis, 27, 634+
Phylogenetic analysis (Tortula ruralis), 418+
Phylogenetic evaluation, 602+
Phylogenetic relationships, 26+
Phylogenetic study, 651+
Physcia obscurata, *9*; speciosa var. granulifera, *5*
Physiaceae, 39+
Physma, 22
Phytogeography, 45+
pI (ribosomal proteins), 420+
Picrolichenic acid (Pertusaria), 210+, 216+
PIERCEY-NORMORE, MICHELE D. *See* BUCK, WILLIAM R., 130+
Pin-lichens and allied fungi, 370+
Pioneer Forest with Fluvial Influence (Brazil), 321
Placodiolic acid (Buellia), 252+
Placodium intermedium, *687*
Plagiochila (China), 200+; akiyamae, 295; alternans,

732+*m; alternans var. angustifolia, *732*; arbuscula, 291; bantamensis Dumort., *202*; bantamensis (Reinw. et al.) Mont., d'Orbigny, 202; bantamensis var. β minor, *202*; beddomei, 295; bischleriana, 202; boninensis, 202; calomelanos, 732; cardotii, *205*; columbica, *732*; columbica var. β convexa, *732*; columbica var. β orizabensis, *732*; cordilliera, *738*; cornuta, *298*; cuspidata, 68; decolyana, *292, 299*; dichotomoramosa, *68*; eberhaldtii, *203*; eberhardtii, *203*; eurydictyon, 741+; ferruginea, 292; fissifolia, *68*; flexuosa, 288+; fordiana, 69; fraseri, 297; furcifolia, 68+; gammiana, *72*; gollanii, *299*; grandifolia, *732*; grata, *72*; griffithiana, *204*; hamulispina, 206; hattoriana, *72*; hattorii, *72*; himalayana, 289*; hispida, *203*; hottae, *205*; humicola, *295*; integerrima, 744+*m; jackii, *74*; javanica, 73, 295; khasiana, 297; kudremuktii, *289*; kunmingensis, 69+*; kurseongensis, *288*; kurzii, 203; lagunensis, *298*; laxissima, 202; liebmanniana, 292, 297*; luethiana, *299*; **luzonensis sp. nov.**, 69+*; massalongoana, 298; maxima, 745; minutidens, *738*; monalata, *297*; multipinnula, 298; multispina, *738*; neorupicola, *68*; nepalensis, 72, 298; oblita, *732*; oblonga, 291; obtusa, 203, 300; obtusa f. villosa, *203*; onraedtii, *202*; ovata, 738+*m; padangensis, *74*; palmiformis, *289*; parvidentata, *288*; parvifolia, 72; peculiaris, 204; peradenyensis, 74, 300; perserrata, 205; phalangea, *72*; propinqua, 292, 302; propinqua var. singalangana, *292*; pseudorenitens, 205; pseudorientalis, *299*; ptychanthoidea, 300*; remotistipula, *299*; rosariensis, *732*; rupicola, *68*; salacensis, 74, 300; scalpellifolia, *202*; sect. Acanthophyllae subsect. Belangerianae, *287*; sect. Alternantes, *730*; sect. Asplenioideae, *730*; sect. Asplenioides, *730*; sect. Belangerianae, *287*; sect. Contiguae, 294+; sect. Hamulispinae, *200*+; sect. Infirmae, 294; sect. Latifoliae, *294*; sect. Minutidentes, *730*; sect. Plagiochila, 729+; sect. Subtropicae, 67+; sect. Tayloriae, 287+; sect. Villosae, *294*; sect. Zonatae, 200+; semidentata, *732*; shangaica Steph., 300; shangaica Paris, *300*; shanghaica, *300*; singularis, 201+; sisparensis, 288; soratensis, *738*; spathulifolia, 291; subpropinqua, *289*; tagawae, 201+; thomsonii, *292*; titibuensis, *288*; tjibodensis, *73*; tobagensis, *203*; trabeculata, 201+; validissima, 745; villosa, *203*; woronoffii, 302; yokogurensis, *72*; **zhuensis sp. nov.**, 200+*

Plagiomnium cuspidatum, 636+, 681

Planaic acid (Pertusaria), 216

Platismatia glauca, 625

Pleurocarpy, 634+, 651+

Pleurozium schreberi, 636+, 681

Ploidy (Polytrichaceae), 355+

Pluriseptate spores (Buellia spp.), 249+*

Poco das Antas Biological Station (rainforest bryophyte diversity), 320+

PÓCS, TAMÁS. *See* EQUIHUA, CLEMENTINA, 747+

Pogonatum contortum, 352+; dentatum, 352+; procerum, 352+; tahitense, 352+; urnigerum, 352+

POJAR, JIM and ANDY MACKINNON. Plants of the Pacific Northwest Coast [review], 775+

Polycoccum evae, 42

Polysomal RNA (Tortula ruralis), 418+

Polytrichaceae (Genetic similarities), 352+

Polytrichastrum alpinum, 352+; appalachianum, 352+; formosum, 352+; longisetum, 352+; ohioense, 352+; pallidisetum, 352+; sexangulare, 352+; sexangulare var. vulcanicum, 352+

Polytrichum commune, 352+, 398+; jensenii, 352+; juniperinum, 352+; piliferum, 352+; strictum, 352+

POTEMKIN, ALEXEY D. An Analysis of the Practical Taxonomy of Some Critical Northern Species of Scapania (Scapaniaceae, Hepaticae), 32+

Pottiaceae (Hilpertia), 753+

Practical taxonomy, 32+

PRINTZEN, CHRISTIAN and TOR TØNSBERG. The Lichen Genus Biatora in Northwestern North America, 692+

PRINTZEN, CHRISTIAN. Japewiella gen. nov., a New Lichen Genus and a New Species from Mexico, 714+

Prionodon densum, 634+, 681; densus, 636+

Protocetraric acid (Dimelaena), 40

Protocetraric acid (Pertusaria), 211+, 216

Protonematal growth (Polytrichum commune), 398+

Protrichum longirostre, 681

Pseudevernia furfuracea, 625

Pseudocyphellaria arvidssonii, 128+m; mallota, 128+m

Psoromic acid (Ocellularia), 89

Pterobryon densum, 636+, 681

Ptychomitrium deltorii, 404+*; drouhardii, *404*; eurybasis, *405*; gardneri, 27+; microblastum, 404+*; neo-caledonicum, *405*

PURSELL, RONALD A. *See* ALLEN, BRUCE, 149+

PURSELL, RONALD A. *See* ALLEN, BRUCE, 339+

PURSELL, RONALD A. *See* ALLEN, BRUCE, 545+

PURSELL, RONALD A. *See* THIERS, BARBARA M., 756+

PURSELL, RONALD A. Taxonomic Notes on Neotropical Fissidens III. Addendum II, 125+

Pustulan-type polysaccharides, 80+

Pycnidial structures, 86+

Pyrenocarpous lichen, 50+

Pyrenocollema japonicum sp. nov., 50+*; sublitorale, 50

Pyrrhobryum mnioides, 636+; spiniforme, 681

Quaternary ammonium compound (Peltigerales), 196+*

Racopilum convolutaceum, 636+; tomentosum, 681

Rainforest types and epiphytic bryophyte diversity, 320+

Ramalina americana chemotype complex, 595+*, 602+

Ramalina americana sensu lato, 603*m; capitata, 625; **culbersoniorum sp. nov.**, 613+*m; fastigiata, 606; intermedia, 606; paludosa, 606; sinensis, 606

Ramalinaceae, 595+, 602+

Ramalodium, 22

rbcL sequences, 634+

rDNA fragment amplification, 605

rDNA ITS sequence data, 602+

REBBECK, JOANNE. *See* PETERSEN, RAYMOND L., 398

Recent Literature on Bryophytes—102(4), 756+

Recent Literature on Hepatics and Anthocerotes—155, 153+

Recent Literature on Hepatics and Anthocerotes—156, 327+

Recent Literature on Hepatics and Anthocerotes—157, 553+

Recent Literature on Lichens—172, 137+

Recent Literature on Lichens—173, 330+

Recent Literature on Lichens—174, 558+

Recent Literature on Lichens—175, 766+

Recent Literature on Mosses—179, 149+

Recent Literature on Mosses—180, 339+

Recent Literature on Mosses—181, 545+

REESE, WILLIAM D. Syrrhopodon Subgenus Pseudocalymperes in the Neotropics, 76+

Resinicolous Chaenothecopsis, 366+*

Rhapidophyllum hystrix, 309+

Rhizocarpic acid, 104

Rhynchostegium riparioides, 722+

Rhytidium rugosum, 681

Ribosomal protein (bryophytes), 423

RICO, VICTOR J. *See* CALATAYUD, VICENT, 39+

RIKKINEN, JOUKO. *See* PETERSON, ERIC B., 370
RIKKINEN, JOUKO. Two New Species of Resinicolous Chaenothecopsis (Mycocaliciaceae) from Western North America, 366+*
Riverine Forest (Brazil), 321
RNA (Tortula ruralis), 418+
ROBERTS, KEITH. *See* BASILE, DOMINICK V., 304
Robson Valley, British Columbia (Calicioid fungi), 377+
RPS3a (Tortula ruralis), 418+
Rps3a (Tortula ruralis), 418+
RUNDELL, HANNELORE. *See* DIAMOND, ALVIN R., JR., 309
RUSHING, ANN E. The Mature Sporophyte-Gametophyte Junction of Lorentziella imbricata, 92+
RUSHING, ANN E. *See* YIP, KWOK LEUNG, 179

S3a, 418+
Sabal palmetto, 310
SALAMA, NAHED. *See* BASILE, DOMINICK V., 304
Salazinic acid (Heterodermia), 2
Salazinic acid (Pertusaria), 212
SANCHO, LEOPOLDO GARCIA. *See* SCHROETER, BURKHARD, 623+
SAWADA, KEIKO. *See* NARUI, TAKAO, 80+
Saxicolous lichens and mosses, 623+
Scapania, 32+; apiculata, 35; arnellii, 35; brevicaulis, 35; calcicola, 37; carinthiaca, 35; curta var. grandiretus, 33; degenii, 35; glaucocephala, 36; **glaucocephala var. saxicola comb. et stat. nov.**, 36; harae, 317+*; hyperborea, 34; **hyperborea var. tundrae comb. et stat. nov.**, 34; invisa, 34; karl-muelleri, 317+*; lapponica, 33; ligulifolia, 37; massalongii, 35; mucronata, 37; obcordata, 33; obscura, 37; paludosa, 37; paradoxa, 33; parviflora, 36; perssonii, 33; praetervisa, 34; pulcherrima, 34; saxicola, 36; scandica, 34+; serrulata, 37; subalpina, 37; subg. Plicaticalyx, 317+; subg. Protoscapania, 317+; tundrae, 34; uliginosa, 37; undulata, 33; zemliae, 34
Scapaniaceae, 32+
Schlotheimia rugifolia, 581+, 681
Schoenobryum concavifolium, 681
SCHOFIELD, W. B. [Review of:] Pojar, Jim and Andy MacKinnon. Plants of the Pacific Northwest Coast, 775+
SCHÖLLER, HERIBERT. Flechten: Gesichte, Biologie, Systematik, Ökologie, Naturschutz und kulturelle Bedeutung [review], 575
SCHROETER, BURKHARD, LEOPOLDO GARCIA SANCHO, and FERNANDO VALLADARES. In situ Comparison of Daily Photosynthetic Activity Patterns of Saxicolous Lichens and Mosses in Sierra de Guadarrama, Central Spain, 623+
SCHULTZ, MATTHIAS, BRUNO MIES, and ABDUL NASSER AL-GIFRI. New Localities of Some Paulia Species (Lichinaceae, Lichenized Ascomycota) From Socotra (Indian Ocean), 61+
Sclerophora amabilis, 392; coniophaea, 393; peronella, 393
Sclotheimia brownii, 636+
Scouleria aquatica, 27+
Secondary dormancy, 16
Secondary Hillside Rainforest (Brazil), 321
SELVA, STEVEN B. and LEIF TIBELL. Lichenized and Nonlichenized Calicioid Fungi from North America, 377+*
SEM, 45, 86
Sematophyllaceae (Brazilian rainforest), 321+
Sematophyllum caespitosum, 321+
Separation (Frullania capsule layers), 240+
SEPPELT, RODNEY D. [Review of:] Ochyra, Ryszard. The Moss Flora of King George Island, Antarctica, 576
Shade epiphytes, 325
SHAW, A. JONATHAN. *See* BUCK, WILLIAM R., 130+
SHAW, JONATHAN. *See* GOFFINET, BERNARD, 581+
SHIBATA, SHOJI. *See* NARUI, TAKAO, 80+
Skorepa, Allen Charles, 578
Small-subunit ribosomal protein, 418+
SNIDER, JERRY, KWOK LEUNG YIP, and JOHN CLARK. Astomiopsis magilliana (Ditrichaceae, Musci) sp. nov. from Natal, 119+
SO, MAY LING. *See* GROLLE, RICLEF, 67+
SO, MAY LING. *See* GROLLE, RICLEF, 200
SO, MAY LING. *See* GROLLE, RICLEF, 287
SO, MAY LING. *See* GROLLE, RICLEF, 294
SO, MAY LING. *See* ZHU, RUI-LIANG, 45+
Socotra (Indian Ocean), 61+
Solorina crocea, 196+; octospora, 196+; platycarpa, 196+; saccata, 196+; spongiosa, 196+
Solorinine (Peltigerales), 196+*
Sonoran Desert, 1+
SORNSAMRAN, RENOO and OBCHANT THAITONG. Bryophytes in Thailand [review], 776
South America (Belonia uncinata), 314
Spain, 53+
Spain (Sierra de Guadarrama), 623+
Species epithets, 442+
Species epithets (Parmelioid lichens), 462+
Species response curves, 720+
Species richness (Lowland Atlantic Rainforest), 320+
Sphaerocarpos texanus, 15+
Sphaerophorin (Dimelaena), 40+
Sphagnum viride, 135+
Sphinctrina leucopoda, 375
Spiridens vieillardii, 636+, 681
Splachnaceae, 108+
Splachnum ampullaceum, 636+; luteum, 27+
Spore longevity, 20
Spores, 15+
Sporophyte foot (Ephemerum cohaerens), 179+*
Sporophyte nutrient supply (Ephemerum cohaerens), 179+*
Sporophyte-gametophyte junction (Ephemerum cohaerens), 179+*
SPRIBILLE, TOBY. *See* GREVEN, HENK, 116+
SPRIBILLE, TOBY [Review of:] Corbridge, James N. and William A. Weber. A Rocky Mountain Lichen Primer, 159
Sprorophyte-gametophyte junction, 92+
Squamatic acid (Chaenotheca), 379
Staurolemma, 22+; **dussii comb. nov.**, 22+*; omphalariodi, 22+; **weberi sp. nov.**, 25*
Steinia geophana, 130+
Stenocybe clavata, 375; **flexuosa sp. nov.**, 395+*; pullata, 375
Stictic acid (Biatora), 694
Stictic acid (Dimelaena), 40+
Stictic acid (Pertusaria), 212, 216
STOTLER, RAYMOND [Review of:] Bischler, Hélène. Systematics and Evolution of the Genera of the Marchantiales, 774
Stubble lichens (North America), 377+
Subnorstictic acid (Pertusaria), 216
Subpicrolichenic acid (Pertusaria), 216
Sun epiphytes, 325
Syrrhopodon africanus subsp. graminicola, 76+*; chenii, 122+; cymbifolius, 77+*; disciformis, 78+*; flexifolius, 78+*; **hongkongensis sp. nov.**, 122+*; parasiticus, 78+*; subgenus Pseudocalymperes, 76+
Systematics (Parmelioid lichens), 445+

TABAEE, ABTIN. *See* BUCK, WILLIAM R., 130+

TAKAHASHI, KUNIO. *See* MATSUBARA, HIDEKI, 196
Taxon sampling, 26
Tayloria splachnoides, 681
TEHLER, ANDERS. Syncesia (Arthoniales, Euascomycetidae). Flora Neotropica Monograph 74 [review], 573
Teloschistin (Caloplaca), 684
Terminal-autoicy (Asterella), 176
Tertiary ammonium compound (Peltigerales), 196+*
Thallus color change, 631
Thamnolic acid (Pertusaria), 216
Thelotrema andamanicum, *89*; nureliyum, 87+*; porinoides, 87+
Thelotremataceae, 86+
Thermoperiod, 16+
THIERS, BARBARA M. and WILLIAM R. BUCK. Recent Literature on Hepatics and Anthocerotes—155, 153+
THIERS, BARBARA M. and WILLIAM R. BUCK. Recent Literature on Hepatics and Anthocerotes—157, 553+
THIERS, BARBARA M. [Review of:] Blockeel, T. L. and D. G. Long. A Checklist and Census Catalogue of British and Irish Bryophytes, 780
THIERS, BARBARA M., BRUCE ALLEN, WILLIAM R. BUCK, and RONALD A. PURSELL. Recent Literature on Bryophytes—102(4), 756+
THIERS, BARBARA M. *See* BUCK, WILLIAM R. 327+
Thiophaninic acid (Pertusaria), 216
THOMSON, JOHN W. American Arctic Lichens. 2. The Microlichens [review], 345+
Thuidium delicatulum, 636+, 681
TIBELL, L. and I. HEDBERG (eds.). Lichen Studies Dedicated to Rolf Santesson [review], 344
TIBELL, LEIF. *See* SELVA, STEVEN B., 377
TØNSBERG, TOR. Additions to the Lichen Flora of North America VII. Some Species Found on Waadah Island, Washington, 133+
TØNSBERG, TOR. Pseudocyphellaria arvidssonii New to Africa and P. mallota New to North America, 128+
TØNSBERG, TOR. *See* JØRGENSEN, PER M., 412+*
TØNSBERG, TOR. *See* PRINTZEN, CHRISTIAN, 692+
Tortula ruralis, 27+, 418+; velenovskyi, *754*
Toxitolerant moss, 274+
Transfer cells (Ephemerum cohaerens), 179+*
TreeBASE, 605
Tridepside, 595+
Trivaric acid, 595+; (Ramalina americana) 596+*
Trophic response curves, 720+
TÜRK, ROMAN and ROBERTO ZORER. Progress and Problems in Lichenology in the Nineties [review], 163

Ulota crispa, 581+; hutchinsiae, 581+; phyllantha, 27+
Ultrastructure (Ephemerum cohaerens), 179+*
Umbilicaria africana, 82+; americana, 82+; angulata, 82+; antarctica, 82+; arctica var. arctica, 82+; arctica var. diomedensis, 82+; arctica var. subarctica, 82+; caroliniana, 82+; cinerascens, 82+; cinereorufescens, 82+; crustulosa, 82+, 625; cylindrica var. delisei, 82+; cylindrica var. tornata, 82+; cylindrica var. cylindrica, 82+; decussata, 82+; deusta, 82+; esculenta, 82+; formosana, 82+; freyi, 82+; grisea, 82+, 624+; haumaniana, 82+; havaasii, 82+; hirsuta, 82+; hyperborea, 82+; hypococcinea, 82+; kisovana, 82+; krascheninnikovii, 82+; laevis, 82+; leiocarpa, 82+; lyngei, 82+; magnussonii, 82+; mammulata, 82+; microphylla, 82+; muehlengergii, 82+; nylanderiana, 82+; pallens, 82+; peruviana, 82+; phaea, 82+; polyphylla, 82+, 625; polyrrhiza, 82+, 625; proboscidea, 82+; reubeliana, 82+; rigida, 82+; spodochroa, 82+, 624+; subglabra, 82+; thamnodes, 82+; torrefacta, 82+; umbilicarioides, 82+; vellea, 82+; virginis, 82+; yunnana, 82+
Umbilicariaceae, 80+
Unidentified terpenes (Heterodermia), 9+
Unidentified triterpene (Heterodermia), 12
UPGMA clustering (Polytrichaceae), 355+
Urceolaria erubescens, *210*
URIBE M., JAIME and S. ROB GRADSTEIN. Catalogue of the Hepaticae and Anthocerotae of Colombia [review], 774+
Usnic acid (Biatora), 694
Usnic acid (Dimelaena), 40+

VALLADARES, FERNANDO. *See* SCHROETER, BURKHARD, 623+
VANDERPOORTEN, A. A Bryological Survey of the Brussels Capital Region (Belgium) [review], 575
VANDERPOORTEN, ALAIN and LEEN DURWAEL. Trophic Response Curves of Aquatic Bryophytes in Lowland Calcareous Streams, 720+
Ventral-autoicy (Asterella), 176
VĚZDA, ANTONIN. *See* MESSUTI, MARÍA INÉS, 314
Vezdaea leprosa, 130+
VON KONRAT, MATT, JOHN E. BRAGGINS and PHILIP J. HARRIS. A New Technique to Investigate Cell Layers of the Capsule Wall Using Frullania (Hepaticae) as a Case Study, 240+*

Waadah Island, Washington, 133+
Wardia, 26+; hygrometrica, 26+*
Wardiaceae, 26+
WEBER, WILLIAM A. [Review of:] André Aptroot, Paul Diederich, Emmanuel Sérusiaux and Harrie J. M. Sipman. Lichens and Lichenicolous Fungi from New Guinea, 345
WEBER, WILLIAM A. [Review of:] L. Tibell and I. Hedberg (eds.). Lichen Studies Dedicated to Rolf Santesson, 344
WETMORE, CLIFFORD M. and EINAR I. KÄRNEFELT. What is Caloplaca cinnabarina?, 683+
WETMORE, CLIFFORD M. Four New Species of Caloplaca from Mexico, 99+
WITHEY, ALISON. *See* DE LUNA, EFRAIN, 634+
WOOD, ANDREW J. *See* DUFF, R. JOEL, 418
WOODS, MICHAEL. *See* DIAMOND, ALVIN R., JR., 309+m
WYATT, ROBERT. *See* DERDA, GREGORY S., 352
WU, YUHUAN, TONG CAO and XING FU. Scapania harae and S. karl-muelleri (Hepaticae) New to China and the Infrageneric Position of S. karl-muelleri, 317+*

YAMAMOTO, YOSHIKAZU. *See* MATSUBARA, HIDEKI, 196
YIP, KWOK LEUNG and ANN E. RUSHING. An Ultrastructural and Developmental Study of the Sporophyte-Gametophyte Junction in Ephemerum cohaerens, 179+*
YIP, KWOK LEUNG. *See* SNIDER, JERRY, 119+
YIP, KWOK LEUNG. [Review of:] Sornsamran, Renoo and Obchant Thaitong. Bryophytes in Thailand, 776
YOSHIMURA, ISAO. *See* MATSUBARA, HIDEKI, 196

ZANDER, RICHARD H. A New Species of Didymodon (Bryopsida) from Western North America and a Regional Key to the Taxa, 112+
ZANDER, RICHARD H. and MANUEL MAHÚ. A New Species of Hennediella from Chile, 349+
ZANDER, RICHARD H. *See* MOGENSEN, GERT S., 753+
Zeorin (Heterodermia), 2
ZHANG, LI, RICHARD T. CORLETT, and LAWRENCE CHAU. Syrrhopodon hongkongensis (Calymperaceae, Musci), a New Species from Hong Kong, China, 122+
ZHU, RUI-LIANG and MAY LING SO. Taxonomic Notes and Phytogeography of Cheilolejeunea pluriplicata (Hepaticae, Lejeuneaceae), 45+
Zinc-enriched soil, 130+